

## Refine Search

### Search Results -

Terms	Documents
L33 and 315/312	2

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L34







### Search History

 DATE: Saturday, August 20, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L34</u>	L33 and 315/312	2	<u>L34</u>
<u>L33</u>	(plurality near2 (lamps or tubes)) and (monitor\$3 adj current) and (feedback adj signal)	35	<u>L33</u>
<u>L32</u>	(plurality near2 (lamps or tubes)) and (monitor\$3 adj current) and (feedback adj signal) and (on\$off and switches)	16	<u>L32</u>
<u>L31</u>	(plurality near2 (lamps or tubes)) and (monitor\$3 adj current) and (feedback adj signal) and switches	31	<u>L31</u>
<u>L30</u>	(plurality near2 (lamps or tubes) near2 parallel) and (monitor\$3 adj current) and (feedback adj signal)	1	<u>L30</u>
	<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L29</u>	5612594.pn.	1	<u>L29</u>
<u>L28</u>	5612594.pn.	1	<u>L28</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		

<u>L27</u>	(lamp adj tubes) and (monitor\$3 adj current) and (feedback adj signal)	8	<u>L27</u>
<u>L26</u>	(second adj lamp) and (second adj pulse) and (monitor\$3 adj current)	2	<u>L26</u>
<u>L25</u>	(frequency adj switch adj controller) and (second adj pulse) and (monitor\$3 adj current)	1	<u>L25</u>
<u>L24</u>	(adjust\$3 adj currents) and (lamp adj tubes)	17	<u>L24</u>
<u>L23</u>	L22 and (lamp adj impedances)	5	<u>L23</u>
<u>L22</u>	L21 and brightness	160	<u>L22</u>
<u>L21</u>	transformer and resonan\$2 and feedback and current and display and backlight\$2	239	<u>L21</u>
<u>L20</u>	L17 and display and backlight\$2	1	<u>L20</u>
<u>L19</u>	L17 and display and backlight\$2	1	<u>L19</u>
<u>L18</u>	L17 and display	12	<u>L18</u>
<u>L17</u>	(main adj control) and resonan\$2 and transformer and (lamps or tubes) and monitor\$3 and feedback and adjust\$3	21	<u>L17</u>
<u>L16</u>	switches and (pulse near2 (inverted adj phase)) and current and feedback and adjust\$3	8	<u>L16</u>
<u>L15</u>	L13 and adjust\$3 and feedback	1	<u>L15</u>
<u>L14</u>	L13 and adjust\$3 and monitor\$3 and feedback	1	<u>L14</u>
<u>L13</u>	L5 and (pulse near2 (inverted adj phase))	1	<u>L13</u>
<u>L12</u>	L8 and (inverted adj phase)	0	<u>L12</u>
<u>L11</u>	L9 and brightness	4	<u>L11</u>
<u>L10</u>	L9 and (equal adj brightness)	0	<u>L10</u>
<u>L9</u>	L8 and (equal adj currents)	8	<u>L9</u>
<u>L8</u>	L5 and (lamp adj current)	37	<u>L8</u>
<u>L7</u>	L5 and (second adj lamp adj current)	0	<u>L7</u>
<u>L6</u>	L5 and (first adj lamp adj current)	0	<u>L6</u>
<u>L5</u>	(first adj switch\$3) and (second adj switch\$3) and monitor\$3 and adjust\$3 and feedback and pulse and resonan\$2	287	<u>L5</u>
<u>L4</u>	(first adj switch\$3) and (second adj switch\$3) and monitor\$3 and adjust\$3 and feedback pulse and resonan\$2	75662	<u>L4</u>
<u>L3</u>	(frequency adj switch adj controller) and monitor\$3 and adjust\$3 and feedback	3	<u>L3</u>
<u>L2</u>	(feedback adj signal) and current and (lamp near3 tubes) and (pulse or pulsing) and monitor\$3 and (first adj switch\$3)	6	<u>L2</u>
<u>L1</u>	(feedback adj signal) and (first adj current) and (second adj current) and (lamp adj tubes)	2	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L3 and ((invert\$3 or oppos\$3) adj phase)	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L4





### Search History

DATE: Saturday, August 20, 2005    [Printable Copy](#)    [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L4</u>	L3 and ((invert\$3 or oppos\$3) adj phase)	1	<u>L4</u>
<u>L3</u>	L2 and (second adj current)	43	<u>L3</u>
<u>L2</u>	L1 and (second adj switch\$3)	461	<u>L2</u>
<u>L1</u>	((adjust\$3 or regulat\$3 or control\$4) and (lamps or tubes) and switch\$3 and puls\$3 and currents and (monitor\$3 or sens\$3 or detect\$3)). clm.	12504	<u>L1</u>

END OF SEARCH HISTORY